

IFW



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Hammerich et al.  
Serial No. : 10/676,825  
Filed : September 30, 2003  
Title : VALIDATING PROGRAMS

Art Unit : 2122  
Examiner : Unknown

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

TRANSMITTAL OF PRIORITY DOCUMENT UNDER 35 USC §119

The applicant hereby confirms his claim of priority under 35 USC §119 from the following application(s):

European Patent Convention Application No. 02022042.2 filed October 1, 2002

A certified copy of the application from which priority is claimed is submitted herewith.

Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: August 19, 2004

Subroto Bose  
Reg. No. 55,014

Fish & Richardson P.C.  
500 Arguello Street, Suite 500  
Redwood City, California 94063  
Telephone: (650) 839-5070  
Facsimile: (650) 839-5071

50232857.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

August 19, 2004

Date of Deposit

Signature

Emma F. Durrell

Typed or Printed Name of Person Signing Certificate

**THIS PAGE BLANK (USPTO)**



**Europäisches  
Patentamt**

**European  
Patent Office**

**Office européen  
des brevets**

**Bescheinigung**

**Certificate**

**Attestation**

Die angehefteten Unterlagen stimmen mit der ursprünglich eingereichten Fassung der auf dem nächsten Blatt bezeichneten europäischen Patentanmeldung überein.

The attached documents are exact copies of the European patent application described on the following page, as originally filed.

Les documents fixés à cette attestation sont conformes à la version initialement déposée de la demande de brevet européen spécifiée à la page suivante.

**Patentanmeldung Nr. Patent application No. Demande de brevet n°**

02022042.2

**CERTIFIED COPY OF  
PRIORITY DOCUMENT**

**CERTIFIED COPY OF  
PRIORITY DOCUMENT**

Der Präsident des Europäischen Patentamts;  
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets  
p.o.

**R C van Dijk**

**THIS PAGE BLANK (USPTO)**



Anmeldung Nr:  
Application no.: 02022042.2  
Demande no:

Anmeldetag:  
Date of filing: 01.10.02  
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

SAP Aktiengesellschaft  
Neurottstrasse 16  
69190 Walldorf  
ALLEMAGNE

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:  
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.  
If no title is shown please refer to the description.  
Si aucun titre n'est indiqué se référer à la description.)

XML interfaces in unified rendering

In Anspruch genommene Priorität(en) / Priority(ies) claimed / Priorité(s)  
revendiquée(s)  
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/  
Classification internationale des brevets:

G06F9/00

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of  
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR

**THIS PAGE BLANK (USPTO)**

2002-223-EP

**XML interfaces in unified rendering**

The invention relates in general to programmable  
5 electronic multipurpose computers.

Scripting languages, such as JavaScript and Perl, can  
be used to program applications to be run on computer  
systems. Correctness of the programmed scripting code  
10 is desirable, as with any computer programming in  
general. A program can be checked or validated prior to  
use to reduce errors occurring during runtime of the  
code. It is an object of the invention to reduce the  
number of errors in computer code. Therefore, the  
15 invention provides for a computer implemented method  
for validation of computer code according to claim 1.  
By validating both sets of instructions with the script  
code used, the number of errors will be reduced.

20 Objects, aspects and advantages of the invention will  
be better understood from the following detailed  
description of a preferred embodiment of the invention.

A computer program can be defined in design  
25 documentation and specifications. From this starting  
point an actual implementation can be coded using a  
suitable programming language.

According to the invention the coding is done using a  
30 two-component interface-classes model, and a script  
coded section. Non-limiting examples of such  
programming languages are compiler languages and object  
oriented programming languages. In compiler languages,  
such as for example Modula-2, these components are  
35 implemented as definition modules and implementation  
modules. In object oriented programming languages, such  
as for example Java, C++, C#, and Modula-3, the

2002-223-EP

components are implemented as interfaces and classes, wherein interfaces are equivalent to definition modules and classes are equivalent to implementation modules. The script-coded section can be programmed using any  
5 suitable script language, such as for example JavaScript and Perl.

Interfaces in object-oriented programming are used for several purposes. To function for example as a record  
10 of promises (with respect to functionality) given by one ("provider") class. This fact is used to verify automatically during compilation whether a second "customer" object is relying on features of a class that have not been promised. Also the interface is used  
15 to verify whether the actual implementation of the provider class keeps all its promises.

This allows inspection of the code during compilation and to test or validate whether errors with respect to  
20 these fundamentals would occur during runtime. For example methods that are offered by the object can be checked, as well as compliance of object classes with the respective interfaces. If errors are found these can be reported during compilation, so that the errors  
25 in the source code can be corrected. Thus runtime errors are reduced in the compiled code.

For example, if an interface promises the availability of a certain method but the method is not present in  
30 the implementation, a "customer" of that method would fail at latest at run time. Interfaces enable modern compiler languages to verify the availability of the method during compilation, eliminating this failure mode with the associated debugging effort.

35

Another example is that can be checked whether a method of an object is called in the code that is not present



2002-223-EP

in the interface. This would lead in the compiled code during runtime to errors. By checking the interface, this can be caught at the outset, eliminating this failure mode during runtime.

5

In one embodiment of the invention, a program is programmed in object oriented style using two separate tree structures, written in XML, wherein the first tree structure represents the classes to be implemented and the second tree structure represents the associated interfaces. Note that the invention is not limited to the implementation shown in this example, and that any programming implementation yielding a set of classes/definitions and interfaces/implementations can be employed. Based on this tree structures in XML executable programs can be generated, for example using Extensible Stylesheet Language (XSL) or Apache Velocity. XSL defines the code using two parts; a language for transforming XML documents, and an XML vocabulary for specifying formatting semantics. An XSL style sheet specifies the presentation of a class of XML documents by describing how an instance of the class is transformed into an XML document that uses the formatting vocabulary. On the XML level a syntax check is performed between the interface description and the implementation class description.

Using this method executable programs can be generated for different platforms, for example ABAP, .Net and JavaScript. In case the executable code generated does implement classes and interfaces, such as is the case with ABAP and .Net, the validity of that code can be verified with a compiler program that performs the usage and implementation checks at the semantics level. Then executable program code is generated from the interface description and from the implementation class

2002-223-EP

description. The thus generated code can then use or call the script coded section when needed.

In this example, the generation of executable programs in script languages, such as for example JavaScript is done by first generating an intermediate code, using a language that supports classes and interfaces. In this example, the intermediate code used can be Java, with implementation for interfaces and classes. The validity of these interfaces and classes is then proved using methods as described above, i.e. using a compiler that performs the usage and implementation checks at the semantics level. This can be done for example by comparing the resulting interfaces with the classes obtained. A successful validation of the Java code means that the original XML code is correct for at least the interface and classes definition. Further the script code section is checked by running it through an interpreter. This can be for example a JavaScript interpreter if the script code is written in JavaScript. Such interpreters or parsers are known per se in the art. The interpreter yields at least a symbol table including various elements, such as for example variables, used by the script code. The information included in the symbol table is compared to the original XML implementation description. From this comparison can be derived whether the script code is compatible with the implementation description. If the script code is validated accordingly, executable code generated from the sets of definition and implementation instructions, is validated for use with the script code. Thus validated, the number of runtime errors is reduced.

In a further embodiment of the invention, two separate tree structures are provided for, together with a script code section. The first tree structure describes

2002-223-EP

interfaces, while the second tree structure describes content in the form of classes for a HTML document. The script code section provides functionality for the HTML document, such as for example scrolling of text. The  
5 tree structures can be programmed for example in XML, and the script code section can be programmed in JavaScript.

The invention further relates to a program storage  
10 device readable by a computer system, embodying a program of instructions executable by the computer system to perform any method according to the invention. As this invention may be embodied in several forms without departing from the spirit of essential  
15 characteristics thereof, the present embodiment is therefore illustrative and not restrictive, since the scope of the invention is defined by the appended claims rather than by the description preceding them, and all changes that fall within the metes and bounds  
20 of the claims, or equivalence of such metes and bounds thereof are therefore intended to be embraced by the claims.

2002-223-EP

**Claims**

1. Computer implemented method for validation of  
computer code, comprising  
5 providing a computer program by defining at least  
one set of definition instructions, at least one  
set of implementation instructions and at least a  
script code section,  
validating said defined sets using a validation  
10 tool, and  
validating said script code section using said set  
of implementation instructions.
2. Method according to claim 1, wherein the  
15 definition instructions are classes and the  
implementation instructions are interfaces.
3. Method according to claim 1, wherein the  
definition instructions are converted into classes  
20 and the implementation instructions are converted  
into interfaces.
4. Method according to claim 3, wherein said  
definition instructions and said implementation  
25 instructions are described in XML.
5. Method according to claim 4, wherein said classes  
and interfaces are defined in Java language.
- 30 6. Method according to any of the preceding claims,  
wherein at least one of said sets of instructions  
is defined in a tree structure.
7. Method according to any of the preceding claims,  
35 wherein said script code section is JavaScript.

2002-223-EP

5 8. Method according to any of the preceding claims,  
wherein validating said script code section  
comprises generating a symbol table by executing  
said code section in an interpreter, and comparing  
said symbol table with the implementation  
instructions.

10 9. A program storage device readable by a computer  
system, embodying a program of instructions  
executable by the computer system to perform a  
method according to any of claims 1-8.

2002-223-EP

**Abstract**

Computer implemented method for validation of computer code, comprising

- 5 providing a computer program by defining a set of definition instructions, a set of implementation instructions and a script code section, validating the defined sets using a validation tool, validating the script code section using the set of implementation
- 10 instructions, wherein the definition instructions are classes and the implementation instructions are interfaces, wherein the definition instructions are converted into classes and the implementation instructions are converted into interfaces, wherein the
- 15 definition instructions and said implementation instructions are described in XML.